


ADDING TO ACTIVE DIRECTORY MACINTOSH

Add the DNS Servers to the Network Settings in *System Preferences*.




Add DNS Servers: 139.78.102.224
 139.78.102.225


Search Domains: ad.okstate.edu

Pre-create the computer account in Active Directory.

Open up *Directory Access* inside the *Utilities* folder.




Double click the "Active Directory" option to configure the account.




In the "Active Directory Forest" and the "Active Directory Domain" type: `ad.okstate.edu`

Input the computer name matched with the computer account name in Active Directory.




Click the "Show Advanced Options" button.




Check all boxes marked above.

Click the "Administrative" Tab. Check the "Allow administration by:" box and add the appropriate administrative groups.



After inputting all the appropriate data click the "Bind" button.




Active Directory Forest: - Automatic -
Active Directory Domain: ad.okstate.edu
Computer ID: ActiveDirectoryComputerName

Show Advanced Options

Bind...
Cancel OK

Enter your Okey Username and Password in the fields provided and click "OK."



Network Administrator Required

Username:
Password:
Computer OU: CN=Computers,DC=ad,DC=okstate,DC=edu

Use for authentication
 Use for contacts

Cancel OK

The process will run through a series of 5 steps. After the computer has been bound to Active Directory the "Bind" button will read "Unbind."

The process is complete.